



SILK II

Modern Android™ POS terminal in a sleek design

SILK II is a POS terminal with standard Android™ 11. A full set of USB interfaces allows you to connect all your accessories. Bluetooth® and Wi-Fi® are also integrated.



EIGENSCHAFTEN

1. **Android OS**
Standard Android™ 11 to run all your apps in Full HD resolution
2. **Full range of USB and other ports for accessories**
Five USB ports hidden underneath and a connection for magnetic stripe reader, NFC and fingerprint reader
3. **Kiosk or wall mounted**
SILK II can be attached to any VESA fixture in either landscape or portrait position
4. **Wireless connectivity**
Integrated Bluetooth® 5.0, Wi-Fi® 2.4GHz
5. **Wired connection**
Integrate well in your network by connecting the SILK II to the Gigabit LAN
6. **Full HD 15.6" display with very thin bezels**
Slim and good looking Full HD display with edge-to-edge glass and thin bezels

MARKETS

- Retail
 - Hospitality
 - Entertainment
 - Gaming, Lottery and Betting
-

ZUBEHÖR

- Second display LED 11.6"
 - Second display LED 15.6"
 - Magnetic stripe reader, NFC and fingerprint reader
-

TECHNISCHES DATENBLATT

Processor	Rockchip RK3568 Quad Core 2.0GHz
RAM memory	4GB
Storage	Flash 64GB
OS	Android™ 11
LCD	15.6" FHD Wide
Resolution	Full HD 1920×1080
Brightness	250 cd/mq
Touch screen	PCAP
Speaker	1 x 3W
I/O	5 x USB 2.0 1 x RJ11 serial port 1 x HDMI video out 1 x RJ12 (cash drawer, 12V) 1 x audio out
LAN	1 x RJ45 (10/100/1000 Gigabit)
Wireless	Wi-Fi® 2.4GHz, Bluetooth® 5.0
Dimensioni	220 mm (D) x 205 mm (W) x 308 mm (H) As kiosk, on VESA, without stand 33 mm (D) x 205 mm (W) x 225 mm (H)
Weight	4 Kg

MODELLE



935KY181000L33

PCPOS SILK II 15.6" ANDROID 11
4/64GB

Via Berettine, 2 - 43010 Fontevivo PR - UST-.ID: IT02498250345 - TEL: +39 0521 680111 - FAX: +39 0521 610701 - EINDEUTIGER CODE: 8RQN7AZ

Die technischen Daten auf dieser Website sind unverbindlich und können ohne vorherige Ankündigung geändert werden.

Letzte Aktualisierung: 15 Juli 2025